L Number	Hits	Search Text	DB	Time stamp
5	24		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:37
6	2187	(717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:36
7	296		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:36
8	40		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:56
9	174	(breakpoint$1 or (break adj point$1) or watchpoint$1) near3 counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:29
10	43	((breakpoint$1 or (break adj point$1) or watchpoint$1) near3 counter) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:35
19	232		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:49
20	148		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:01
21	123		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:52
22	18		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:53
23	2153	(breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:55
24	889	((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1)) and debug$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:21
25	477	(((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1)) and debug$4) and ((user$1 or programmer$1 or debugger$1 or client$1) with (breakpoint$1 or (break adj point$1) or watchpoint$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:59

26	433	(((((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1)) and debug$4) and ((user$1 or programmer$1 or debugger$1 or client$1) with (breakpoint$1 or (break adj point$1) or watchpoint$1))) and ((user$1 or programmer$1 or debugger$1 or client$1) with (hit$1 or occur$6 or encounter$3 or count$3 or time$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:01
27	191	(((((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1)) and debug$4) and ((user$1 or programmer$1 or debugger$1 or client$1) with (breakpoint$1 or (break adj point$1) or watchpoint$1))) and ((user$1 or programmer$1 or debugger$1 or client$1) with (hit$1 or occur$6 or encounter$3 or count$3 or time$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:01
28	97	((((((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1)) and debug$4) and ((user$1 or programmer$1 or debugger$1 or client$1) with (breakpoint$1 or (break adj point$1) or watchpoint$1))) and ((user$1 or programmer$1 or debugger$1 or client$1) with (hit$1 or occur$6 or encounter$3 or count$3 or time$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)) and (updat$3 or increment$3 or track$3) with (counter$1 or count$1 or number$1 or time$1 or occur$6 or hit$1 or encounter$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:55
29	85	user$1 with (enabl$3 or disabl$3) with (breakpoint$1 or (break adj point$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:30
30	26	(user$1 with (enabl$3 or disabl$3) with (breakpoint$1 or (break adj point$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:30
31	20	user$1 with disabl$3 with (breakpoint$1 or (break adj point$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:54
32	3	(breakpoint or (break adj point)) adj occurrences	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:17
33	339	(703/28).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:54
34	191	((703/28).clss) and debug$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:55
35	84	(((703/28).clss) and debug$4) and (breakpoint$1 or (break adj point$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:55

36	84	(((((703/28).clss) and debug$4) and (breakpoint$1 or (break adj point$1))) and ((breakpoint$1 or (break adj point$1)) count$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:56
37	25	(((((703/28).clss) and debug$4) and (breakpoint$1 or (break adj point$1))) and ((breakpoint$1 or (break adj point$1)) count$3)) and ((reset$3 or reload$3) with (count$3 or breakpoint$1 or (break adj point$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:19
38	121	internal near3 (breakpoint$1 or (break adj point$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:22
39	1	(internal near3 (breakpoint$1 or (break adj point$1))) and ((reset$3 with count$3) near10 (breakpoint$1 or (break adj point$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:22
40	17	(internal near3 (breakpoint$1 or (break adj point$1))) and (reset$4 with count$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:22
47	287	(breakpoint$1 or (break adj point$1)) with loop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:54
48	107	((breakpoint$1 or (break adj point$1)) with loop$1) and ((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:55
49	61	(((breakpoint$1 or (break adj point$1)) with loop$1) and ((breakpoint$1 or (break adj1 point$1)) with (counter$1 or count$3 or times or occur$6 or encounter$3 or hit$1))) and (updat$3 or increment$3 or track$3) with (counter$1 or count$1 or number$1 or time$1 or occur$6 or hit$1 or encounter$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:17
50	624	(breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:07
51	285	((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program$1) with debug$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:09
52	188	(((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program$1) with debug$4)) and (updat$3 or increment$3 or track$3) with (counter$1 or count$1 or number$1 or time$1 or occur$6 or hit$1 or encounter$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:09
53	68	(((((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program$1) with debug$4)) and (updat$3 or increment$3 or track$3) with (counter$1 or count$1 or number$1 or time$1 or occur$6 or hit$1 or encounter$3)) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:16

54	303	(disabl$3 or skip$4 or ignor$3) with (breakpoint$1 or (break adj point$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:17
55	84	(((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program$1) with debug$4)) and ((disabl$3 or skip$4 or ignor$3) with (breakpoint$1 or (break adj point$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:17
56	0	(breakpoint or (break adj point)) same ((for or while) adj1 loop$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:18
57	0	(breakpoint or (break adj point)) and ((for or while) adj1 loop$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:18
58	1186	(breakpoint or (break adj point)) with (line$1 or statement$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:19
59	393	((breakpoint or (break adj point)) with (line$1 or statement$1)) and loop$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:20
60	0	(((breakpoint or (break adj point)) with (line$1 or statement$1)) and loop$1) and ((for or while) with loop$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:20
61	161	(((breakpoint or (break adj point)) with (line$1 or statement$1)) and loop$1) and debug$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:20
62	68	((((breakpoint or (break adj point)) with (line$1 or statement$1)) and loop$1) and debug$4) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:41